

À propos de Trac

Trac est un système de gestion de projet logiciel et de suivi de défauts/incidents via le Web, qui met l'accent sur la facilité d'utilisation et n'impose qu'un minimum de protocole. Il propose une interface pour le système de contrôle de source, un Wiki intégré, et un nombre intéressant d'options permettant d'être tenu informé des événements et changements survenant dans le cadre d'un projet logiciel.

Trac est distribué selon les termes de la licence BSD modifiée.

Le texte entier de la licence peut être consulté [en ligne](#) aussi bien que dans le fichier `COPYING` inclus dans cette distribution.

Consultez le site Open Source du projet Trac : <http://trac.edgewall.org/>

Copyright © 2003-2016 Edgewall Software



Informations système

Paquetage	Version
Trac	1.0.11
Babel	0.9.6
Genshi	0.6 (without speedups)
Pygments	1.1.1
pysqlite	2.4.1
Python	2.6.6 (r266:84292, Aug 18 2016, 15:13:37) [GCC 4.4.7 20120313 (Red Hat 4.4.7-17)]
pytz	2010h
setuptools	0.6
SQLite	3.6.20
Subversion	1.6.11 (r934486)
jQuery	1.7.2
jQuery UI	1.8.21
jQuery Timepicker	1.0.1

Extensions installées

Nom	Version	Chemin
config-perm-provider	Non disponible	/data/data/trac-fdi/main/plugins/config_perm_provider.pyc
ContextChrome	0.3	/usr/lib/python2.6/site-packages/ContextChrome-0.3-py2.6.egg
graphviz	1.0.0.7dev-r12290	/usr/lib/python2.6/site-packages/graphviz-1.0.0.7dev_r12290-py2.6.egg
MultipleWorkflowPlugin	1.3.0	/usr/lib/python2.6/site-packages/MultipleWorkflowPlugin-1.3.0-py2.6.egg
ReadOnlySignedTickets	Non disponible	/data/data/trac-fdi/main/plugins/ReadOnlySignedTickets.pyc
TracStats	0.5	/usr/lib/python2.6/site-packages/TracStats-0.5-py2.6.egg
TracTicketChangelogPlugin	0.1	/usr/lib/python2.6/site-packages/TracTicketChangelogPlugin-0.1-py2.6.egg

Interface Customization

Site templates	site.html
Shared templates	
Site static resources	a_partir.png a_recetter.gif acc_app.gif accepted.gif arecetter.gif assigned.gif autre_messagerie.png cavp.png choix_de.png circuit_maintenance.gif closed.gif common_en_cours_recette.gif favicon.ico logo-fdi.jpg new_ticket.gif recetter.gif site_style.css suivit_ticket.gif ticketlog tracrpc validated.gif validation.gif voir_a_mettre_prod.gif voir_accepted.gif voir_assigned.gif voir_en_cours_recette.gif voir_gestion.gif voir_miens.gif voir_new.gif
Shared static resources	

Configuration

Section	Nom	Valeur
attachment	max_size	524288
	max_zip_size	2097152
	render_unsafe_content	false
browser	color_scale	True
	downloadable_paths	/trunk, /branches/*, /tags/*
	hide_properties	svk:merge
	intermediate_color	
	intermediate_point	
	newest_color	(255, 136, 136)
	oldest_color	(136, 136, 255)
	onliner_properties	trac:summary
	render_unsafe_content	false
changeset	wiki_properties	trac:description
	max_diff_bytes	10000000
	max_diff_files	0
components	wiki_format_messages	true
	graphviz.*	enabled
	ticketlog.*	enabled
	trac.ticket.roadmap.defaultticketgroupstatsprovider	false
	trac.ticket.roadmap.milestonemodule	false
	trac.ticket.roadmap.roadmapmodule	false
tracopt.perm.authz_policy.authzpolicy	disabled	

Section	Nom	Valeur
	tracopt.ticket.deleter.ticketdeleter	<i>disabled</i>
	tracopt.versioncontrol.svn.svn_fs.subversionconnector	<i>enabled</i>
	tracopt.versioncontrol.svn.svn_prop.subversionmergepropertydiffrenderer	<i>enabled</i>
	tracopt.versioncontrol.svn.svn_prop.subversionmergepropertyrenderer	<i>enabled</i>
	tracopt.versioncontrol.svn.svn_prop.subversionpropertyrenderer	<i>enabled</i>
	tracrpc.api.xmlrpcsystem	<i>enabled</i>
	tracrpc.json_rpc.jsonrpcprotocol	<i>enabled</i>
	tracrpc.search.searchrpc	<i>enabled</i>
	tracrpc.ticket.componentrpc	<i>enabled</i>
	tracrpc.ticket.milestonerpc	<i>enabled</i>
	tracrpc.ticket.priorityrpc	<i>enabled</i>
	tracrpc.ticket.resolutionrpc	<i>enabled</i>
	tracrpc.ticket.severityrpc	<i>enabled</i>
	tracrpc.ticket.statusrpc	<i>enabled</i>
	tracrpc.ticket.ticketrpc	<i>enabled</i>
	tracrpc.ticket.typerpc	<i>enabled</i>
	tracrpc.ticket.versionrpc	<i>enabled</i>
	tracrpc.web_ui.rpcweb	<i>enabled</i>
	tracrpc.wiki.wikirpc	<i>enabled</i>
	tracrpc.xml_rpc.xmlrpcprotocol	<i>enabled</i>
graphviz	cache_dir	gvcache
	cache_manager	
	cache_max_count	2000
	cache_max_size	10485760
	cache_min_count	1500
	cache_min_size	5242880
	cmd_path	
	default_graph_dpi	96
	encoding	utf-8
	out_format	png
	png_antialias	
	processor	dot
	rsvg_path	
header_logo	alt	CAVP
	height	-1
	link	
	src	http://fdi.cavp.fr/logo-fdi.jpg
	width	-1
inherit	htdocs_dir	
	plugins_dir	
	templates_dir	
logging	log_file	trac.log
	log_format	
	log_level	<i>ERROR</i>
	log_type	<i>file</i>
milestone	default_group_by	<i>component</i>
	stats_provider	<i>DefaultTicketGroupStatsProvider</i>
mimeviewer	max_preview_size	262144
	mime_map	<i>text/x-dylan:dylan,text/x-idl:ice,text/x-ada:ads:adb</i>
	mime_map_patterns	<i>text/plain:README INSTALL COPYING.*</i>
	pygments_default_style	trac
	pygments_modes	
	tab_width	8
	treat_as_binary	<i>application/octet-stream,application/pdf,application/postscript,application/msword,application/r</i>
notification	admit_domains	
	always_notify_owner	<i>true</i>
	always_notify_reporter	<i>true</i>
	always_notify_updater	<i>false</i>
	ambiguous_char_width	single
	batch_subject_template	<i>\$prefix Batch modify: \$tickets_descr</i>
	email_sender	<i>SmtplibEmailSender</i>
	ignore_domains	
	mime_encoding	<i>base64</i>
	sendmail_path	sendmail
	smtp_always_bcc	
	smtp_always_cc	<i>vdrault, styrand ,fferrari, vvuong</i>
	smtp_default_domain	<i>cavp.fr</i>
	smtp_enabled	<i>true</i>
	smtp_from	<i>noreply@cavp.fr</i>
	smtp_from_author	<i>false</i>
	smtp_from_name	<i>noreply</i>
	smtp_password	<i>asJ3NqcG</i>

Section	Nom	Valeur
	smtp_port	587
	smtp_replyto	noreply@cavp.fr
	smtp_server	smtp.office365.com
	smtp_subject_prefix	__default__
	smtp_user	equitrac@cavp.fr
	ticket_subject_template	\$prefix # \$ticket.id: \$summary
	use_public_cc	false
	use_short_addr	false
	use_tls	true
notification-subscriber	always_notify_owner	TicketOwnerSubscriber
	always_notify_owner.default	email, 100, always, text/plain
	always_notify_owner.permission	CUSTOM_CONFIG_NOTIFY_OWNER_PERMISSION
	always_notify_owner.requires_authentication	True
	always_notify_reporter	TicketReportedSubscriber
	always_notify_reporter.default	email, 100, always, text/plain
	always_notify_updater	TicketUpdaterSubscriber
always_notify_updater.default	email, 100, always, text/plain	
project	admin	
	admin_trac_url	.
	descr	My example project
	footer	Visit the Trac open source project at http://trac.edgewall.org/
	icon	common/trac.ico
	name	Trac FDI
	url	http://fdi.cavp.fr
query	default_anonymous_query	status!=closed&cc~=\$USER
	default_query	status!=closed&owner=\$USER
	items_per_page	100
	ticketlink_query	?status!=closed
report	items_per_page	100
	items_per_page_rss	0
revisionlog	default_log_limit	100
	graph_colors	#cc0#0c0#0cc#00c#c0c#c00
roadmap	stats_provider	DefaultTicketGroupStatsProvider
search	default_disabled_filters	
	min_query_length	3
sqlite	extensions	
svn	branches	trunk,branches/*
	eol_style	native
	tags	tags/*
ticket	default_cc	
	default_component	
	default_description	
	default_keywords	
	default_milestone	
	default_owner	
	default_priority	mineur
	default_resolution	
	default_severity	
	default_summary	
	default_type	defect
	default_version	
	max_comment_size	262144
	max_description_size	262144
	max_summary_size	262144
	preserve_newlines	default
	restrict_owner	true
workflow	ConfigurableTicketWorkflow	
ticket-custom	techno	select
	techno.label	Technologie(MOE)
	techno.options	EGL EGL-Java Java PHP PL1 SQL
ticket-workflow	accept	assigned -> working
	accept.default	-2
	accept.name	Accepter le ticket
	accept.operations	set_owner_to_self
	accept.permissions	TICKET_MODIFY
	assigne	new,assigned,reopened,rejected -> assigned
	assigne.default	-1
	assigne.name	Assigner
	assigne.operations	set_owner
	assigne.permissions	TICKET_ADMIN
	leave	* -> *
	leave.default	1

Section	Nom	Valeur
	leave.name	<i>Laisser le</i>
	leave.operations	<i>leave_status</i>
	reopen	<i>closed -> reopened</i>
	reopen.default	<i>-8</i>
	reopen.name	<i>Rouvrir</i>
	reopen.operations	<i>del_resolution</i>
	reopen.permissions	<i>TICKET_CREATE,TICKET_ADMIN</i>
	resolve	<i>assigned,validated -> closed</i>
	resolve.default	<i>-7</i>
	resolve.name	<i>Résolu</i>
	resolve.operations	<i>set_resolution</i>
	resolve.permissions	<i>TICKET_ADMIN</i>
	test	<i>A recetter -> en recette</i>
	test.default	<i>-4</i>
	test.name	<i>En cours de recette</i>
	test.permissions	<i>TICKET_ADMIN</i>
	test_accepted	<i>en recette -> validated</i>
	test_accepted.default	<i>-5</i>
	test_accepted.name	<i>Recette validée</i>
	test_accepted.permissions	<i>TICKET_CREATE,TICKET_MODIFY</i>
	test_new	<i>working -> A recetter</i>
	test_new.default	<i>-3</i>
	test_new.name	<i>A recetter</i>
	test_new.permissions	<i>TICKET_MODIFY</i>
	test_rejected	<i>en recette -> rejected</i>
	test_rejected.default	<i>-6</i>
	test_rejected.name	<i>Recette rejetée</i>
	test_rejected.permissions	<i>TICKET_CREATE,TICKET_MODIFY</i>
timeline	abbreviated_messages	<i>True</i>
	changeset_collapse_events	<i>false</i>
	changeset_long_messages	<i>false</i>
	changeset_show_files	<i>0</i>
	default_daysback	<i>30</i>
	max_daysback	<i>90</i>
	newticket_formatter	<i>oneliner</i>
	ticket_show_details	<i>false</i>
trac	auth_cookie_lifetime	<i>0</i>
	auth_cookie_path	
	authz_file	
	authz_module_name	
	auto_preview_timeout	<i>2.0</i>
	auto_reload	<i>False</i>
	backup_dir	<i>db</i>
	base_url	
	check_auth_ip	<i>false</i>
	database	<i>sqlite:db/trac.db</i>
	debug_sql	<i>True</i>
	default_charset	<i>iso-8859-15</i>
	default_date_format	<i>iso8601</i>
	default_dateinfo_format	<i>absolute</i>
	default_handler	<i>WikiModule</i>
	default_language	<i>fr</i>
	default_timezone	<i>Europe/Paris</i>
	genshi_cache_size	<i>128</i>
	htdocs_location	
	ignore_auth_case	<i>true</i>
	jquery_location	
	jquery_ui_location	
	jquery_ui_theme_location	
	mainnav	<i>wiki,timeline,roadmap,browser,tickets,newticket,search</i>
	metanav	<i>login,logout,prefs,help,about</i>
	mysqldump_path	<i>mysqldump</i>
	never_obfuscate_mailto	<i>false</i>
	permission_policies	<i>DefaultPermissionPolicy, LegacyAttachmentPolicy</i>
	permission_store	<i>DefaultPermissionStore</i>
	pg_dump_path	<i>pg_dump</i>
	repository_dir	
	repository_sync_per_request	<i>(default)</i>
	repository_type	<i>svn</i>
	request_filters	
	resizable_textareas	<i>true</i>
	secure_cookies	<i>False</i>
	show_email_addresses	<i>false</i>

Section	Nom	Valeur
	show_ip_addresses	false
	timeout	20
	use_base_url_for_redirect	<i>False</i>
	use_chunked_encoding	false
	use_xsendfile	false
	wiki_toolbars	true
	xsendfile_header	X-Sendfile
versioncontrol	allowed_repository_dir_prefixes	
wiki	ignore_missing_pages	false
	max_size	262144
	render_unsafe_content	false
	safe_schemes	<i>cvcs,file,ftp,git,irc,http,https,news,sftp,smb,ssh,svn,svn+ssh</i>
	split_page_names	false